

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	559	(FOLEY near JAMES) (JOHNSON near RICK) (NAMBIAR near ANANT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:29
L2	9	L1 and authentication.dlm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:29
L3	1228	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L4	0	L3 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L5	2163	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L6	1	L5 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L7	62	authentica\$4 with security adj (alert\$4 alarm\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L8	0	L7 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L9	1842	(register\$4 registration) with (authentica\$4 authoriz\$5 login logon (log adj (in on))) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30

L10	45	L9 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L11	0	L10 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L12	48756	(register\$4 registration) with (authenticat\$4 authoriz\$5 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L13	817	L12 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L14	0	L13 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L15	185	portal with security near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L16	0	L15 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:30
L17	3459	portal with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L18	274	L17 same (authenticat\$4 authoriz\$5 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L19	0	L18 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31

L20	11897	security near level same (authenticat\$4 authoriz\$5 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L21	4	L20 and @ad< "20010103" and @pd> "20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L22	547	L20 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L23	0	L22 and @ad< "20010103" and @pd> "20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L24	335	security near level same (authenticat\$4 authoriz\$5 login logon (log adj (in on))) same (prompt\$4 dialog adj box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L25	0	L24 and @ad< "20010103" and @pd> "20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L26	260	(security authoriz\$6) near level same (authenticat\$4 login logon (log adj (in on))) same (prompt\$4 dialog adj box (pull drop) adj down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L27	0	L26 and @ad< "20010103" and @pd> "20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L28	1554	(authoriz\$6 authenticat\$4 login logon (log adj (in on))) with (dialog adj box (pull drop) adj down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L29	3	L28 and @ad< "20010103" and @pd> "20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31

L30	120	L28 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L31	0	L30 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L32	3635	(authoriz\$6 authenticat\$4 login logon (log adj (in on))) with display\$4 with (default selected choice choos\$4 chosen primary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L33	33	L32 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L34	306	L32 same level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L35	0	L34 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:31
L36	2110	(authoriz\$6 authenticat\$4 login logon (log adj (in on))) with first same (authoriz\$6 authenticat\$4 login logon (log adj (in on))) with second same level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L37	40	L36 same password same (PIN smartcard smart adj card biometric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L38	0	L37 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L39	163	security adj level same biometric and security adj level same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32

L40	0	L39 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L41	82	security adj level same (smartcard smart adj card) and security adj level same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L42	0	L41 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L43	700	different with security near level same (biometric password PIN smartcard smart adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L44	0	L43 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L45	88	security near level same (GUI interface) with (login login (log adj (on in)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L46	0	L45 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L47	92	(GUI interface) with (login login (log adj (on in))) with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L48	0	L47 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L49	180	register\$4 with requir\$4 with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32

L50	0	L49 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L51	57	(select\$4 choo\$4 choice) with (log adj (on in)) same display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L52	0	L51 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L53	210	(select\$4 choo\$4 choice) with ((sign log) adj (on in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L54	0	L53 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L55	108	(select\$4 choo\$4 choice) same ((sign log) adj (on in)) same (register\$4 sav \$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L56	0	L55 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L57	9	(select\$4 choo\$4 choice) same ((sign log) adj (on in)) with (prefer\$4 default)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L58	0	L57 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L59	11	((sign log) adj (on in)) near2 (prefer\$4 default)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32

L60	0	L59 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L61	148	level with portal same (((sign log) adj (on in)) authentica\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L62	0	L61 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L63	572	(((sign log) adj (on in)) authentica\$4) with (prefer \$4 default) same (register \$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L64	0	L63 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L65	23888	(((sign log) adj (on in)) authentica\$4) with (select \$4 choos\$4 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L66	3291	L65 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L67	1	L66 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L68	1484	authentica\$4 with day	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32
L69	1	L68 and @ad<"20010103" and @pd>"20100809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/28 08:32

S573	5	authentica\$4 near maintenance with (link page site)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:34
S574	145	authentica\$4 near maintenance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:35
S575	21	S574 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:35
S576	1514	(chang\$4 modify\$4 modification different new) near2 authentica\$4 near (method type protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:38
S577	151	S576 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:38
S578	3	(chang\$4 modify\$4 modification) near (different new) near2 authentica\$4 near (method type protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:39
S579	14	("20020073334" "3828338" "4337462" "4584569" "5260689" "5515032" "5574429" "5574786" "5786760" "6456976" "6910132" "6970095" "7024698" "7024700").PN.	US-PGPUB; USPAT	OR	ON	2010/12/27 12:41
S580	49	(chang\$4 modify\$4 modification) near (different new) near2 authentica\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:43
S581	12	("20020133716" "20020150282" "20030004897" "5724423" "5815252" "5978591" "6213391" "6219439" "6286104" "6325285" "6353889" "6609198").PN.	US-PGPUB; USPAT	OR	ON	2010/12/27 12:48

S582	123	(chang\$4 modify\$4 modification) near (different new second) near2 (authenticat\$4 authoriz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:51
S583	20	S582 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:51
S584	2	(pull drop) adj down with (different new second) near2 (authenticat\$4 authoriz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:53
S585	34	(pull drop) adj down same (different new second) near2 (authenticat\$4 authoriz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:54
S586	1	S585 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:54
S587	401	(pull drop) adj down with (authenticat\$4 authoriz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:54
S588	43	S587 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:54
S589	140	menu near authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:58
S590	9	S589 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 12:58
S591	2038	menu with authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:00

S592	1141	menu near3 (authenticat\$4 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:00
S593	133	S592 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:00
S594	2095	(option choice) near2 (authenticat\$4 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:13
S595	236	(display\$4 present\$4) with (option choice) near2 (authenticat\$4 login logon (log adj (in on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:13
S596	19	S595 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:13
S597	178	("4652698" "4714995" "4817050" "4831582" "4882752" "4897781" "4916738" "5048085" "5150407" "5220603" "5263157" "5265159" "5333266" "5388255" "5392390" "5420927" "5425102" "5434918" "5483596" "5491752" "5495533" "5510777" "5544320" "5544322" "5572643" "5581749" "5588132" "5604788" "5613012" "5623601" "5627658" "5627997" "5632011" "5634053" "5644354" "5647002" "5652884" "5657390" "5664207" "5666530" "5666553" "5675782" "5678039" "5680542" "5682478" "5682524" "5684951" "5684984" "5684990" "5687322" "5701400" "5701423" "5706427" "5706502" "5710922" "5713019" "5715403" "5717925" "5721779" "5727202"	US-PGPUB; USPAT; USOCR	OR	ON	2010/12/27 13:18

		"5729735" "5742668" "5752059" "5752246" "5754830" "5757916" "5758150" "5758354" "5758355" "5764902" "5765171" "5768510" "5778346" "5784463" "5784464" "5787172" "5787441" "5790974" "5794252" "5799086" "5802530" "5812398" "5812668" "5812773" "5815683" "5818935" "5828840" "5832483" "5835087" "5835601" "5845282" "5857201" "5862325" "5862346" "5870544" "5870759" "5870765" "5872847" "5878230" "5909689" "5924103" "5928329" "5943676" "5951652" "5961590" "5966714" "5968131" "5974238" "5982898" "5987609" "5999932" "5999947" "6006017" "6020885" "6021427" "6023700" "6023708" "6034621" "6052735" "6073165" "6088451" "6094477" "6108691" "6108709" "6118856").PN. OR ("6125281" "6131096" "6131116" "6138146" "6151606" "6154844" "6169986" "6182118" "6212529" "6249805" "6295541" "6304881" "6311186" "6324542" "6334140" "6343313" "6389455" "6438583" "6446090" "6477545" "6510455" "6564218" "6631416" "6697942"). PN. OR ("7287271"). URPN.				
S598	25	(option choice) near2 (authenticat\$4 login logon (log adj (in on))) near protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:21

S599	4	S598 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:21
S600	101	(chang\$4 modify\$4 modification) near authentica\$4 near (method type protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:25
S601	11	S600 and @ad< "20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/27 13:25
S602	3	("5872847").PN. ("4817050" "5872847" "6088451").PN.	US-PGPUB; USPAT	OR	ON	2010/12/27 13:28

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L70	0	(restricted adj service with chang\$4 with authentica \$4 near method).clm.	USPAT; UPAD	OR	ON	2010/12/28 08:33
L71	31	(chang\$4 with authentica \$4 near method).clm.	USPAT; UPAD	OR	ON	2010/12/28 08:35
L72	40	(select\$4 near3 authentica \$4 near method).clm.	USPAT; UPAD	OR	ON	2010/12/28 08:36
L73	5	(select\$4 with plurality near authentica\$4 near method).clm.	USPAT; UPAD	OR	ON	2010/12/28 08:37
L74	16	("20040071443" "5199066" "5513260" "5724423" "5883958" "5896454" "6230002" "6249532" "6289102" "6336187" "6367019" "6438235" "6453420" "6457040" "6578149" "6587948").PN. OR ("7779256").URPN.	US-PGPUB; USPAT	OR	ON	2010/12/28 08:37

12/ 28/ 10 8:39:02 AM

C:\Documents and Settings\mpyzocha1\My Documents\EAST\Workspaces\ 10035064-7.wsp